

TREGO

SPECIFICATIONS

TECHNICAL SPECIFICATIONS

Standard Variants



TREGO 2

2

2482 mm

1268 mm

1952 mm

1670 mm

180 mm

10.75 kWh

8 kW

120 km

40 km/h (25 mph)

~ 4 hours



TREGO 2+2

4

2912 mm

1268 mm

1952 mm

1670 mm

180 mm

10.75 kWh

8 kW

120 km

40 km/h (25 mph)

~ 4 hours



TREGO 4

4

3370 mm

1268 mm

1952 mm

2555 mm

180 mm

10.75 kWh

8 kW

110 km

40 km/h (25 mph)

~ 4 hours



TREGO 4+2

6

3797 mm

1268 mm

1952 mm

2555 mm

180 mm

10.75 kWh

8 kW

110 km

40 km/h (25 mph)

~ 4 hours

Seating Capacity

Length

Width

Height

Wheelbase

Ground Clearance

Battery Capacity

Motor Power (Peak)

Range

Top Speed

Charging Time (0-80%)

TECHNICAL SPECIFICATIONS

Lifted Variants



TREGO 2 L

2

2482 mm

1268 mm

2074 mm

1670 mm

226 mm

10.75 kWh

8 kW

110 km

40 km/h (25 mph)

~ 4 hours



TREGO 2+2 L

4

2912 mm

1268 mm

2074 mm

1670 mm

226 mm

10.75 kWh

8 kW

110 km

40 km/h (25 mph)

~ 4 hours



TREGO 4 L

4

3370 mm

1268 mm

2074 mm

2555 mm

226 mm

10.75 kWh

8 kW

100 km

40 km/h (25 mph)

~ 4 hours



TREGO 4+2 L

6

3797 mm

1268 mm

2074 mm

2555 mm

226 mm

10.75 kWh

8 kW

100 km

40 km/h (25 mph)

~ 4 hours

- Seating Capacity
- Length
- Width
- Height
- Wheelbase
- Ground Clearance
- Battery Capacity
- Motor Power (Peak)
- Range
- Top Speed
- Charging Time (0-80%)